

MONGOOSE JETTERS

by SEWER EQUIPMENT



PO Box 13040 • Spokane, WA 99213
1(800)892-7831 • Fax (509)533-1050

Serving Washington, Idaho, Montana, Oregon

MODEL 184

BEST PRODUCTS, BEST LOCAL SUPPORT



MONGOOSE

Sewer Equipment's Mongoose Jetters Model 184 Series is one of this brand's best selling units. With reliable features such as the Mongoose Run Dry Pump at 18 gpm @ 4000 psi, tubular steel frame, corrosion resistant pre-painted sub assemblies, state of the art controls, strong hose reel and high quality diesel engine, this machine will return more on your investment than anything in its class.



184-ULT

Model:	184-ULT
Tank Capacity:	300 Gallons
Pump:	18 GPM @ 4,000 PSI
Engine:	Minimum 49 hp Tier IV Turbo Diesel Engine
Hose Reel:	1/2" Hose, 600' Capacity
Axle:	7,000# (single)
Features:	5 Cylinder Plunger Run Dry Pump, Nema 4 Control Box, Towable with Water
Applications:	Drain Cleaning, Main Lines up to 12", Remote Access Locations, Commerical Lines, Industrial Lines and More



184-LT

Model:	184-LT
Tank Capacity:	300 Gallons
Pump:	18 GPM @ 4,000 PSI
Engine:	Minimum 49 hp Tier IV Turbo Diesel Engine
Hose Reel:	1/2" Hose, 600' Capacity
Axle:	7000# (single)
Features:	5 Cylinder Plunger Run Dry Pump, Nema 4 Control Box, Towable with Water, Available with Wireless Remote
Applications:	Drain Cleaning, Main Lines up to 12", Remote Access Locations, Commerical Lines, Industrial Lines and More

TRUCKS AND TRAILERS



Model 184-HD

Model 184XL-HD

Model:	184-HD and 184XL-HD
Tank Capacity:	300-600 Gallons
Pump:	18 GPM @ 4,000 PSI
Engine:	Minimum 49 hp Tier IV Turbo Diesel Engine
Hose Reel:	1/2" Hose, 600' Capacity *1000' Capacity and Dual Reel Options Available
Axle:	7000# (single), 9,900# (dual)
Features:	5 Cylinder Plunger Run Dry Pump, Nema 4 Control Box, Towable with Water, Available with Wireless Remote
Applications:	Drain Cleaning, Main Lines up to 12", Remote Access Locations, Commerical Lines, Industrial Lines and More



Model 184-HD-TK

Model 184-HD-ETK

Model:	184-HD-TK, 184XL-HD-TK, 184-HD-ETKS, 184-HD-ETK, 184XL-HD-ETK, 184-HD-VR
Tank Capacity:	200-600 Gallons *Capacity may be limited by truck model.
Pump:	18 GPM @ 4,000 PSI
Engine:	Minimum 49 hp Tier IV Turbo Diesel Engine
Hose Reel:	1/2" Hose, 600' Capacity *1000' Capacity and Dual Reel Options Available
Chassis Spec:	Contact your representative for more information
Features:	5 Cylinder Plunger Run Dry Pump, Nema 4 Control Box, Available with Wireless Remote
Applications:	Drain Cleaning, Main Lines up to 12", Remote Access Locations, Commerical Lines, Industrial Lines and More