

CL MULTI-PURPOSE VEHICLE

THE CL

YOUR YEAR-ROUND MAINTENANCE VEHICLE







Compact, multi-purpose vehicle available in 3500 kg (7716 lb) or 4000 kg (8818 lb) GVW models.



Incredibly simple operation via ergonomic control panel in cabin.



Dedicated all-terrain vehicle with the option to quickly change from one attachment to another.



Heavy-duty cooling for hot climates and 200 litre (53 US gal) water tank for optimal dust suppression.



Boasts one of the cleanest engines on the market with environmentally friendly Tier 4 final/Stage V emissions.



Full independent spring and damper suspension on each wheel for ultimate operator comfort.

























One Machine - One Operator - Endless Applications



CL MULTI-PURPOSE VEHICLE

- Engine: Hatz, 75 hp
- Emissions class: Stage V, Tier 4 final
- ♦ Length: 4100 mm (161 in)
- Width: 1200 1600 mm (47 63 in)
- ♦ Height: 1995 mm (79 in)
- Wheelbase: 1750 mm (69 in)
- Unladen weight: 2000 2500 kg (4409 5511 lb)
- ♦ Axle capacity, front, tyre dependent: 2500 kg (5511 lb)
- ♦ Axle capacity, rear, tyre dependent: 2500 kg (5511 lb)
- Gross vehicle weight: 3500 4000 kg (7716 8818 lb)
- Outer turning radius: 2550 2740 mm (100 108 in)
- Maximum speed: 40 km/h (25 mph)

Your local authorised dealer is:



Due to our policy of continuous improvement, reasonable alterations & changes to the specifications of our products may take place subsequent to the publication of this brochure & we reserve the right to make such changes without prior notice.

- Multihog Global Headquarters, Finnabair Business Park, Dundalk, Co. Louth, Ireland.
- +353 42 9386738 / 443 852 1842 (US/CA)
- www.multihog.com















